

Database release: End2021 --- 06/10/2022 ▼

SDF



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE **IT8050046**
SITENAME **Monte Cervati e dintorni**

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

[Print Standard Data Form](#)

1. SITE IDENTIFICATION

1.1 Type

[Back to top](#)

1.2 Site code

1.3 Site name

1.4 First Compilation date

1.5 Update date

1.6 Respondent:

Name/Organisation:	Regione Campania UOD Gestione Risorse Naturali Protette
Address:	
Email:	natura2000@regione.campania.it

1.7 Site indication and designation / classification dates

Date site classified	1999-10
-----------------------------	---------

as SPA:	
National legal reference of SPA designation	D.G.R. n. 631 del 08/02/2000

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude:	15.454324
Latitude:	40.309920

2.2 Area [ha]

36912.0000

2.3 Marine area [%]

0.0000

2.4 Sitelength [km] (optional):

No information provided

2.5 Administrative region code and name

NUTS level 2 code	Region Name
ITF3	Campania

2.6 Biogeographical Region(s)

Mediterranean	(100.00 %)
---------------	------------

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
3250 B			738.24	0.00	P	B	C	B	B
3270 B			369.12	0.00	P	B	C	B	B
5330 B			3691.2	0.00	P	B	C	B	C
6110 B			1845.6	0.00	P	B	C	B	A
6210 B			4429.44	0.00	P	B	C	A	A
6210 B	X		2952.96	0.00	P	B	C	A	A

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
<u>6220</u> B			3691.2	0.00	P	B	C	B	B
<u>8210</u> B			1845.6	0.00	P	B	C	C	A
<u>8310</u> B			369.12	0.00	P	A	C	A	A
<u>9210</u> B			3691.2	0.00	P	B	B	A	A
<u>9220</u> B			1845.6	0.00	P	A	C	A	A
<u>9260</u> B			3691.2	0.00	P	B	B	B	B
<u>92A0</u> B			738.24	0.00	P	B	C	B	B
<u>9340</u> B			1845.6	0.00	P	B	C	B	B

PF: for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.

NP: in case that a habitat type no longer exists in the site enter: x (optional)

Cover: decimal values can be entered

Caves: for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	<u>A247</u>	<u>Alauda arvensis</u>			c				C	DD	C	B	C	B
B	<u>A247</u>	<u>Alauda arvensis</u>			w				P	DD	C	B	C	B
B	<u>A247</u>	<u>Alauda arvensis</u>			r				C	DD	C	B	C	B
B	<u>A109</u>	<u>Alectoris graeca</u>			p	11	50	p		P	C	B	C	B
B	<u>A255</u>	<u>Anthus campestris</u>			r				C	DD	C	B	C	B
B	<u>A259</u>	<u>Anthus spinoletta</u>			r				P	DD	C	B	C	B
B	<u>A256</u>	<u>Anthus trivialis</u>			r				P	DD	C	B	C	B
B	<u>A091</u>	<u>Aquila chrysaetos</u>			p	1	1	p		P	C	B	C	B
A	<u>5357</u>	<u>Bombina pachipus</u>			p				C	DD	C	A	C	A
B	<u>A215</u>	<u>Bubo bubo</u>			p	1	1	p		P	C	B	C	B
M	<u>1352</u>	<u>Canis lupus</u>			p				R	DD	C	B	B	B
B	<u>A224</u>	<u>Caprimulgus europaeus</u>			r				P	DD	C	B	C	B
B	<u>A366</u>	<u>Carduelis cannabina</u>			r				P	DD	C	B	C	B
I	<u>1088</u>	<u>Cerambyx cerdo</u>			p				P	DD	C	B	B	B

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A080	Circus gallicus			r	2	2	p		P	C	B	C	B
B	A082	Circus cyaneus			w	2	4	i		P	C	B	C	B
I	1044	Coenagrion mercuriale			p				P	DD	C	A	C	A
B	A208	Columba palumbus			c				V	DD	C	B	C	B
B	A208	Columba palumbus			p				C	DD	C	B	C	B
B	A113	Coturnix coturnix			c				C	DD	C	B	C	B
B	A113	Coturnix coturnix			r				P	DD	C	B	C	B
B	A113	Coturnix coturnix			w				R	DD	C	B	C	B
B	A238	Dendrocopos medius			p				P	DD	C	B	C	B
B	A236	Dryocopus martius			p	6	10	p		P	C	B	C	B
R	1279	Elaphe quatuorlineata			p				V	DD	C	B	C	B
I	1065	Euphydryas aurinia			p				P	DD	C	B	C	B
B	A101	Falco biarmicus			p	2	2	p		P	C	B	C	B
B	A103	Falco peregrinus			p	6	6	p		P	C	B	C	B
B	A321	Ficedula albicollis			r				P	DD	C	B	C	B
P	4104	Himantoglossum adriaticum			p				P	DD	D			
B	A338	Lanius collurio			r	101	250	p		P	C	B	C	B
B	A246	Lullula arborea			r				C	DD	C	B	C	B
M	1355	Lutra lutra			p				R	DD	B	A	B	A
I	1062	Melanargia arge			p				C	DD	C	B	C	B
B	A073	Milvus migrans			c				C	DD	C	B	C	B
B	A073	Milvus migrans			r	9	9	p		P	C	B	C	B
B	A074	Milvus milvus			c				C	DD	C	B	C	B
B	A074	Milvus milvus			w	6	10	i		P	C	B	C	B
B	A074	Milvus milvus			r	5	5	p		P	C	B	C	B
M	1310	Miniopterus schreibersii			r				P	DD	C	A	C	A
M	1323	Myotis bechsteinii			p				R	DD	C	A	C	A
M	1307	Myotis blythii			p				P	DD	C	A	C	A
M	1321	Myotis emarginatus			p				R	DD	C	A	C	A
M	1324	Myotis myotis			p				P	DD	C	A	C	A
B	A277	Oenanthe oenanthe			r				P	DD	C	B	B	B
I	1084	Osmoderma eremita			p				R	DD	B	C	A	C
B	A072	Pernis apivorus			r	2	2	p		P	C	B	C	B
B	A273	Phoenicurus ochrurus			r				P	DD	C	B	C	B
B	A346	Pyrrhocorax pyrrhocorax			p	51	100	p		P	C	B	C	B
M	1305	Rhinolophus euryale			p				P	DD	C	A	C	A

Species					Population in the site						Site assessment			
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D.qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
M	<u>1304</u>	<u>Rhinolophus ferrumequinum</u>			p				P	DD	C	A	C	A
M	<u>1303</u>	<u>Rhinolophus hipposideros</u>			p				P	DD	C	A	C	A
I	<u>1087</u>	<u>Rosalia alpina</u>			p				V	DD	C	A	B	A
A	<u>1175</u>	<u>Salamandrina terdigitata</u>			p				R	DD	B	A	B	A
B	<u>A155</u>	<u>Scolopax rusticola</u>			w				C	DD	C	B	C	B
B	<u>A210</u>	<u>Streptopelia turtur</u>			r				C	DD	C	B	C	B
B	<u>A210</u>	<u>Streptopelia turtur</u>			c				C	DD	C	B	C	B
B	<u>A286</u>	<u>Turdus iliacus</u>			c				R	DD	C	B	C	B
B	<u>A285</u>	<u>Turdus philomelos</u>			w				C	DD	C	B	C	B
B	<u>A285</u>	<u>Turdus philomelos</u>			r	1	5	p		P	C	B	C	B
B	<u>A285</u>	<u>Turdus philomelos</u>			c				C	DD	C	B	C	B
B	<u>A284</u>	<u>Turdus pilaris</u>			w				P	DD	C	B	C	B
B	<u>A287</u>	<u>Turdus viscivorus</u>			p				C	DD	C	B	C	B
B	<u>A287</u>	<u>Turdus viscivorus</u>			c				C	DD	C	B	C	B

Group: A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Type: p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)

Unit: i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))

Abundance categories (Cat.): C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information

Data quality: G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species					Population in the site				Motivation					
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex	Other categories				
					Min	Max		C R V P	IV	V	A	B	C	D
P		<u>Abies alba</u>						V			X			
P		<u>Alnus cordata</u>						R			X			
P		<u>Armeria macropoda</u>						R			X			
P		<u>Asperula calabra</u>						C			X			
P		<u>Botrichium matricarifolium</u>						C			X			
I		<u>Boyeria irene</u>						C			X			
P		<u>Campanula fragilis</u>						C				X		
I		<u>Ceragrion tenellum</u>						V					X	

Species					Population in the site			Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex	Other categories				
					Min	Max		C R V P	IV	V	A	B	C	D
R		<u>Chalcides chalcides</u>						C				X		
I		<u>Coenagrion coerulescens</u>						R			X			
R	<u>1284</u>	<u>Coluber viridiflavus</u>						C	X					
I		<u>Cordulegaster boltoni</u>						R			X			
R	<u>1283</u>	<u>Coronella austriaca</u>						C	X					
P		<u>Dianthus ferrugineus</u>						P			X			
R	<u>1281</u>	<u>Elaphe longissima</u>						P	X					
M	<u>1363</u>	<u>Felis silvestris</u>						P	X					
P		<u>Festuca calabrica</u>						P						X
A		<u>Hyla italica</u>						P						X
R		<u>Lacerta bilineata</u>						P						X
I		<u>Lester dryas</u>						P				X		
I		<u>Onychogomphus forcipatus</u>						P				X		
R	<u>1256</u>	<u>Podarcis muralis</u>						P	X					
R	<u>1250</u>	<u>Podarcis sicula</u>						P	X					
A	<u>1209</u>	<u>Rana dalmatina</u>						P	X					
A	<u>1206</u>	<u>Rana italica</u>						P	X					
P		<u>Rhinanthus wettsteinii</u>						P			X			
A		<u>Salamandra salamandra gigliolii</u>						P						X
A	<u>1168</u>	<u>Triturus italicus</u>						P	X					

Group: A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles

CODE: for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name

S: in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes

NP: in case that a species is no longer present in the site enter: x (optional)

Unit: i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

Cat.: Abundance categories: C = common, R = rare, V = very rare, P = present

Motivation categories: **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N08	5.00
N09	30.00
N12	10.00

N14	5.00
N17	15.00
N18	5.00
N19	5.00
N20	20.00
N22	5.00
Total Habitat Cover	100

Other Site Characteristics

Massiccio appenninico prevalentemente di natura calcarea, diffusi fenomeni carsici (doline, grotte, ecc.). Depositi morenici glaciali.

4.2 Quality and importance

Complesso particolarmente significativo per la presenza di vari tipi vegetazionali (faggeta, abetina). Foreste di caducifoglie in buono stato. Presenza del lupo e di uccelli nidificanti (aquila). Importante erpetofauna.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

No information provided

4.4 Ownership (optional)

No information provided

4.5 Documentation (optional)

Istituto di Gestione della Fauna 2012. Banca dati del monitoraggio del SIC e ZPS del Cervati. www.gestione fauna.com Piciocchi S., Mastronardi D., Fraissinet M. 2013. I rapaci diurni della Campania. Monogr. n. 10 ASOIM, Napoli. AA.VV. 2012. Atlante degli Anfibi e dei rettili della Campania. Massa ed., Napoli. Milone M. 1999. Atlante degli uccelli svernanti in Campania. Monografia n.6 dell'ASOIM, Napoli. AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli. PICIOCCHI S., MASTRONARDI D., DE FILIPPO G., 2007. Stato delle conoscenze su Aquila reale Aquila chrysaetos, Lanario Falco biarmicus e Pellegrino Falco peregrinus in Campania. In: Magrini M., Perna P., Scotti M. (Eds). Atti del convegno Aquila reale, Lanario e Pellegrino nell'Italia peninsulare Stato delle conoscenze e problemi di conservazione. Serra San Quirico (AN), 26-28 marzo 2004, pp: 117-119. RIPPA D., MASELLI V., SOPPELSA O., FULGIONE D., 2011. The impact of agro-pastoral abandonment on the Rock Partridge Alectoris graeca in the Apennines. Ibis, 153, 721 -734. RIPPA D., CALIENDO M.F., FUSCO L., ZACCARA A.T., VALORE M., FULGIONE D., 2009. Rock Partridge Alectoris graeca a good candidate for an umbrella species in rocky mountains in Italy. Avocetta 33, 211-216. RIPPA D., ZACCARA A. T., VALORE M., CARPINO F., FULGIONE F., 2005. La coturnice Alectoris graeca in Campania. Avocetta, 29: 204. FUSCO L., CANONICO F. E CALIENDO M.F. 2005 The migratory ways of Accipitriformes and Falconiformes in Cilento . Boll. Soc. Natur. Napoli, III, 1-9. FULGIONE D., RIPPA D. e MILONE M., 2002. La Conservazione della Coturnice (Alectoris graeca) in Campania: un'esperienza di restocking in provincia di Salerno. Atti del 63 Congresso Nazionale Unione Zoologica Italiana. Rende (CS) 22-26 settembre 2002. FULGIONE D., RIPPA D. e MILONE M., 2001. La conservazione della coturnice in Campania. Piani di introduzione e miglioramenti ambientali nella politica di conservazione delle aree protette e non. Provincia di Salerno - Assessorato alle attività Faunistiche Ittiche -Venatorie. Pp 40-53. Audisio P. & Biscaccianti A., 2008. Relazione tecnica per il Monitoraggio alla rete dei boschi vetusti del Parco Nazionale del Cilento e Vallo di Diano. POR Campania 2000-2006 Progetto Integrato PNCVD. Volpe G. e Palmieri R. 2001. Farfalle italiane: 1. Campania e territori limitrofi. Arion edizioni, Castel Volturno, CE. Volpe G. e Palmieri R. 2005. Le farfalle a volo diurno nel Parco Nazionale del Cilento e Vallo di Diano. Arion edizioni, Castel Volturno, CE. AAVV 2011. I Rapaci diurni della Campania. Monografia n. 10 ASOIM, Napoli. Lacaita C., 1921 - Catalogo delle piante vascolari dell'ex principato Citra. Bull. Orto Bot. Napoli, 6: 101-256. La Valva V., Moraldo B., Ricciardi M. e Caputo G., 1987-88 - Appunti di floristica meridionale. Delpinoa, n.s., 29-30: 107-115. La Valva V., Ricciardi M. e Caputo G., 1985 - La tutela dell'ambiente in Campania: situazione attuale e proposte. Inf. Bot. Ital., 17(1-2-3): 144-154. Longo B., 1907 - Contribuzione alla flora del Cilento. Ann. Bot. (Roma), 5: 653-655. Santangelo A., La Valva V., Di Novella N. e Caputo G., 1989-90 - La flora cacuminale del Monte Cervati (Appennino campano). Delpinoa, n.s., 31-32: 99-139. Moggi G., 1958 - Notizie floristiche sull'abetina di Monte Motola nel Cilento (Appennino lucano). N. Giorn. Bot. Ital., n.s., 65: 455-460.

5. SITE PROTECTION STATUS

5.1 Designation types at national and regional level (optional):

[Back to top](#)

Code	Cover [%]
IT01	100.00

5.2 Relation of the described site with other sites (optional):

Designated at national or regional level:

Type code	Site name	Type	Cover [%]
IT01	Cilento e Valle di Diano		100.00

5.3 Site designation (optional)

No information provided

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	PN Cilento VDA
Address:	
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

☒	Yes	Name: Piano di Gestione Link: _____
☐	No, but in preparation	
☐	No	

6.3 Conservation measures (optional)

D.G.R. n. 795/2017

7. MAP OF THE SITE

No information provided

[Back to top](#)

SITE DISPLAY

+

-



Esri, FAO, NOAA

